	Application	n No.	Applicant(s)	المراجق المراجع
Notice of Allowability	09/890,103		YASUDA ET AL.	
	Examiner		Art Unit	
	Melanie D.	Bissett	1711	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to the amendment filed 8/27/03.				
 2. The allowed claim(s) is/are 3-6 and 8-13. 3. The drawings filed on are accepted by the Examir 4. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 	nder 35 U.S.C.			
2. Certified copies of the priority documents have been received in Application No				
3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). (a) The translation of the foreign language provisional application has been received. 6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE				
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing correction filed 7/26/01, which has been approved by the Examiner. 				
(c) 🔲 including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.				
9. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
 1 ☐ Notice of References Cited (PTO-892) 3 ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 5 ☐ Information Disclosure Statements (PTO-1449), Paper No. 7 ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	·	2☐ Notice of Informa 4☐ Interview Summa 6☐ Examiner's Amer 8☐ Examiner's State 9☐ Other .	ary (PTO-413), Paper adment/Comment	No

Application/Control Number: 09/890,103

Art Unit: 1711

Allowable Subject Matter

1. Claims 3-6 and 8-13 are allowed.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melanie D. Bissett whose telephone number is (703) 308-6539. The examiner can normally be reached on M-F 8-4:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Seidleck can be reached on (703) 308-2462. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.

mdb

James J. Seldisck Supervisory Patent Examiner Technology Center 1700